



NEUROLOGY PRO FORMA

Demographic data :

Full Name :

Age :

Gender :

Dominance :

Ward :

Date of admission :

Date of surgery :

Date of assessment :

Address :

Phone number :

Chief complaints :

Complaint	Site	Duration	Progression

History of present illness :

Differential diagnosis :

Pain history :

- Site :
- Onset :
- Duration :
- Type :
- Character :
- Aggravating Factors :
- Relieving Factors :
- Intensity by NPRS or VAS :
 - On Activity:
 - At Rest:

Family history :

Past history :

- Past Medical -
- Past Surgical -

Socioeconomic history :

- **Modified Kuppuswami Scale :**

Environmental history :

- Work -
- Home -

Personal history :

- Appetite-
- Sleep-
- Narcotic addiction-
- Alcohol addiction-

- Bowel-
- Bladder -

History of hospitalization :

- No of admissions -
- Duration of each admission -
- Investigations done -
- Diagnosis -
- Drugs given -
- Advised surgery / intervention -

Physical Examination :

General Examination :

Objective	Subjective
Blood pressure :	Built :
Temperature :	Nutrition :
Pulse rate :	Pallor :
Respiratory rate :	Icterus :
	Clubbing :
	Cyanosis :
	Lymphadenopathy :
	Thyroid swelling :
	Oedema :
	Rheumatic nodules :
	Petechial haemorrhage :
	Osler nodes :

Nervous System Examination :

• Higher Functions :

- Consciousness -
- Behaviour -
- Intelligence -
- Memory -
 - Short Term -
 - Long Term -
- Orientation -
 - Time -
 - Person-
 - Place -
- Hallucinations or Delusions -
- Speech -

• Cranial Nerves :


- **I CN** - Sense of smell in each nostril
- **II CN** -
 - Acuity of vision
 - Field of vision
 - Color vision
- **III, IV, VI CN** -
 - External Ocular Movements
 - Pupils
 - Position -
 - Shape -
 - Size -
 - Nystagmus
 - Type -
 - Frequency -
 - Ptosis -
- **V CN** -
 - Sensations over the face

- Masseters, Pterigoids, Temporalis Muscle
 - Reflex
 - Corneal
 - Conjunctival
 - Jaw Jerk
 - **VII CN -**
 - Eye closure, Frowning, raising the eyebrows
 - Blowing, whistling and showing the teeth
 - Nasolabial fold, Platysma
 - **VIII CN -**
 - Hearing tick of the watch
 - Rinne's test
 - Weber's test
 - **IX, X CN -**
 - Uvula on saying 'ah' - central or deviated to one side
 - Gag reflex
 - **XII CN -**
 - Tongue movements
 - Wasting, fasciculations, fibrillations
- **Motor System :**
- Nutrition : Wasting or hypertrophy
 - Tone :
 - 0 No response (flaccidity)
 - 1+ Decreased response (hypotonia)
 - 2+ Normal response
 - 3+ Exaggerated response (mild to moderate hypertonia)
 - 4+ Sustained response (severe hypertonia)
 - Spasticity :
 - **Modified Ashworth Scale**
 - Power :
 - Graded from 0 to 5

- Coordination :
 - Equilibrium Tests :
 - Non Equilibrium Test :

- Involuntary Movements :
 - Tremor -
 - Type -
 - Site -
 - Rhythm -
 - Amplitude -
 - Chorea
 - Athetosis
 - Hemiballismus
 - Dystonia
 - Myoclonus
 - Fasciculations
 - Flexor spasms
 - Tics
 - Myokymia
 - Titubation

- **Sensory System :**
 - Superficial Senses
 - Touch -
 - Temperature -
 - Pain -
 - Deep Senses

- 
- Position -
 - Joint sense -
 - Vibration -
 - Cortical Senses
 - Tactile Localization
 - Tactile Discrimination
 - Stereognosis
 - **Reflexes :**
 - Graded
 - Absent (--)
 - Depressed (+)
 - Normal (++)
 - Brisk (+++)
 - Clonus (++++)
 - Superficial
 - Plantar
 - Abdominal
 - Cremasteric
 - Bulbocavernous
 - Anal
 - Hoffman's Sign
 - Deep
 - Biceps
 - Triceps
 - Supinator
 - Finger flexion
 - Knee
 - Ankle

- Primitive
 - Sucking/Rooting
 - Grasp
 - Palmomental
 - Glabellar Tap
- **Gait :**
 - Type -
 - Deviations -
- **Special Signs :**

Investigations :

Provisional diagnosis :

International classification of Functioning, Disability and Health :

Impairments :

Body Structure	Clinical Reason	Body Function	Clinical Reason

Activity limitations :

Basic	Instrumental

Participation restrictions :

Personal	Social	Economic

Contextual factors :

Buffers	Barriers

Goals :

Sessional :

Short Term :

Long Term :

