



## SURGERY PRO FORMA

### **Demographic data :**

Full Name :

Age :

Gender :

Religion :

Dominance :

Ward :

Date of admission :

Date of surgery :

Date of assessment :

Address :

Phone number :

### **Chief complaints :**

Complaint	Site	Duration	Progression

### **History of present illness :**

### **Differential diagnosis :**

## **Past history :**

- Past Medical -
- Past Surgical -
- Drug History -

## **Pain history :**

- Site :
- Onset :
- Duration :
- Type :
- Character :
- Aggravating Factors :
- Relieving Factors :
- Intensity by NPRS or VAS :
  - On Activity:
  - At Rest:

## **Family history :**

## **Allergy history :**

## **History of Immunization :**

## **Socioeconomic history :**

- **Modified Kuppaswami Scale :**

## **Environmental history :**

- Work -
- Home -

## **Personal history :**

- Appetite-
- Sleep-
- Narcotic addiction-
- Alcohol addiction-
- Bowel-
- Bladder -

## **History of hospitalization :**

- No of admissions -
- Duration of each admission -
- Investigations done -
- Diagnosis -
- Drugs given -
- Advised surgery / intervention -

## **Physical Examination :**

### **General Examination :**

<b>Objective</b>	<b>Subjective</b>
------------------	-------------------

Blood pressure :

Temperature :

Pulse rate :

Respiratory rate :

Built :

Nutrition :

Pallor :

Icterus :

Clubbing :

Cyanosis :

Lymphadenopathy :

Thyroid swelling :

Oedema :

Rheumatic nodules :

Petechial haemorrhage :

Osler nodes :

### **Local examination :**

- **Wound examination-**

- Site-
- Length-
- Colour-
- Temperature-

- **Suture examination-**

- Site-
- Length-
- Temperature-

- **Tenderness-**

- Site-
- Grade-

- **Oedema/swelling-**

- Site-
- Pitting/Non Pitting -
- Grade

### **Systemic examination :**

- **On Observation :**

- Attitude -
- Decubitus -
- Facies -
- Skin changes -
  - Macules -
  - Papules -
  - Vesicles -
  - Pustules -
  - Wheal -

- **Mental State :**

- **Mini-Mental Scale -**

- **Head and Neck :**

- Cranial Nerve Examination -
- Eyes
  - Visual Field -
  - Acuity -
  - Movement of the eyes -
- Mouth and Pharynx
  - Teeth and Gums -
  - Movements of the soft palate -
  - Tongue and undersurface -
- Neck
  - Movements -
  - Neck Veins -

- Lymph nodes -
- Carotid Pulse -
- Thyroid gland -

- **Upper Limbs :**

- General Examination
  - Power -
  - Tone -
  - Reflexes -
  - Sensations -
- Axilla and lymph Nodes -
- Joints -
- Finger Nails -

- **Thorax :**

- Type of Chest -
- Breast -
- Presence of any dilated vessels and pulsations -
- Position of trachea -
- Apex Beat -
- Lungs
  - Observation
  - Palpation
  - Percussion
  - Auscultation
- Heart
  - Observation
  - Palpation
  - Percussion

- Auscultation

- **Abdomen :**

- Abdominal Wall
  - Position of umbilicus -
  - Presence of scars -
  - Dilated vessels -
- Abdominal reflexes -
- Visible Peristalsis or Pulsations -
- Generalised palpation, percussion and auscultation -
- Hernial orifice -
- Inguinal Glands -
- External Genitalia -
- Rectal Examination -
- Gynaecological examination if required -

- **Lower Limbs :**

- General Examination
  - Power -
  - Tone -
  - Reflexes -
  - Sensations -
- Axilla and lymph Nodes -
- Joints -
- Varicose Vein -
- Oedema -

- **Examination of the external genitalia :**

- Sputum -
- Vomit -

- Urine -
- Stool -

● **Operative Notes :**

- Type of anaesthesia and anaesthetics used -
- Name of the anaesthetist -
- Name of surgeons -
- Position of the patient on the operative table -
- Type of incision made -
- Type of operation -
- Type of closure -
- Drainage -

● **Functional Outcome Measure :**

- **Barthel Index**

**Investigations :**

**Provisional diagnosis :**

**International classification of Functioning, Disability and Health :**

Impairments :

Body Structure	Clinical Reason	Body Function	Clinical Reason

Activity limitations :



Basic	Instrumental

Participation restrictions :

Personal	Social	Economic

Contextual factors :

Buffers	Barriers

**Goals :**

Sessional :

Short Term :

Long Term :